

## Drugs/Medications Known to Cause Hyperhidrosis

Certain prescriptions and non-prescription medications can cause hyperhidrosis (excess perspiration or sweating) as a side effect. A list of potentially sweat-inducing medications is provided below. Medications are listed alphabetically by generic name. U.S. brand names are given in parentheses, if applicable. This list is provided as a resource and a service. It is not exhaustive and is in no way meant to replace consultation with a medical professional. Although sweating is a known side effect of the medications listed below, in most cases only a small percentage of people using the medicines experience undue sweating (in some cases less than 1%). Medications noted with an “\*” and in bold are the most likely to cause sweating and the frequency of sweating as a side effect from these medications may be as high as 50%. Medications noted with an “†” are commonly-prescribed drugs; and those with a “P” are often used for pediatrics.

### Key:

**\*/Bold** -- Known to *commonly* cause hyperhidrosis

† -- Commonly-prescribed drugs

P -- Pediatric use

Abciximab (ReoPro®)  
 Acamprosate (Campral®)  
 Acetaminophen and Tramadol (Ultracet™)  
 Acetophenazine (NA)  
 Acetylcholine (Miochol-E®) **P**  
 Acetylcysteine (Acetadote®) **P**  
 Acitretin (Soriatane®)  
 Acrivastine and Pseudoephedrine (Semprex®-D)  
 † Acyclovir (Zovirax®) **P**  
 Adenosine (Adenocard®; Adenoscan®)  
 † Albuterol (Proventil® HFA Inhalation Aerosol)  
 Alemtuzumab (Campath®)  
 Alizapride (NA)  
 Almotriptan (Axert™)  
 Alosetron (Lotronex®)  
 Amonafide (NA)  
 Ambenonium (Mytelase®)  
 Amitriptyline (Elavil®)  
 † Amlodipine (Norvasc®)  
 Amoxapine (NA)  
 Amphotericin B (Liposomal) (AmBisome®)  
 Anastrozole (Arimidex®)  
 Anidulafungin (Eraxis™)  
 Antihemophilic Factor (Recombinant) (Advate; Helixate® FS; Kogenate® FS; Recombinate™; ReFacto®)  
 Antithymocyte Globulin (Equine) (Atgam®)  
 Antithymocyte Globulin (Rabbit) (Thymoglobulin®) **P**  
 Apomorphine (Apokyn™)  
 Aprepitant (Emend®)  
 Aripiprazole (Abilify®)  
 Arsenic Trioxide (Trisenox™)  
 Atazanavir (Reyataz®)

Atomoxetine (Strattera®) **P**  
 † Atorvastatin (Lipitor® Tablets)  
 Atovaquone (Mepron®) **P**  
 Azacitidine (Vidaza™)  
 Aztreonam (Azactam®)  
 † Bacitracin (AK-Tracin® [DSC]; Baciguent® [OTC]; BaciiM®)  
 Baclofen (Lioresal®) **P**  
 Benazepril (Lotensin®)  
 Benzphetamine (Didrex®)  
 Betamethasone (Beta-Val®; Celestone® Soluspan®; Celestone®; Diprolene® AF; Diprolene®; Luxiq®; Maxivate®)  
 Bethanechol (Urecholine®)  
 Bexarotene (Targretin®)  
 Bicalutamide (Casodex®)  
 Bretylium [DSC] (NA) **P**  
 Bumetanide (Bumex®)  
 Buprenorphine (Buprenex®; Subutex®)  
 Buprenorphine and Naloxone (Suboxone®)  
 † Bupropion (Wellbutrin® SR Sustained-Release Tablets)  
 Buserelin (NA)  
 Buspirone (BuSpar®)  
 Butorphanol (Stadol®)  
 Calcitonin (Fortical®; Miacalcin®)  
 Candesartan (Atacand®)  
 Candesartan and Hydrochlorothiazide (Atacand HCT™)  
 Capecitabine (Xeloda®)  
 Carbachol (Carbastat® [DSC]; Isopto® Carbachol; Miostat®)  
 Carbamazepine (Carbatrol®; Epitol®; Equetro™; Tegretol®-XR; Tegretol®)  
 Carvedilol (Coreg®)  
 Caspofungin (Cancidas®)  
 Cefditoren (Spectracef™)  
 Ceftriaxone (Rocephin®)  
 Celecoxib (Celebrex®)  
 Cetiedil (NA)  
 Cevimeline (Evoxac®)  
 Cidofovir (Vistide®) **P**  
 † Ciprofloxacin (Apo-Ciproflox®; Ciloxan®; Cipro® XL; Cipro®; CO Ciprofloxacin; Gen-Ciprofloxacin; Novo-Ciprofloxacin; PMS-Ciprofloxacin; ratio-Ciprofloxacin; Rhoxal-ciprofloxacin) **P**  
 † Citalopram (Celexa®)  
 Cladribine (Leustatin® Injection)  
 Clenbuterol (NA)  
 ClomiPRAMINE (Anafranil®)  
 Clonixin (NA)  
 Clovoxamine (NA)  
 Clozapine (Clozaril®; FazaClo®)  
 Cyclosporine (Gengraf®; Neoral®; Restasis™; Sandimmune®)  
 Cytomegalovirus Immune Globulin (Intravenous-Human) (CytoGam®) **P**  
 Daclizumab (Zenapax®)  
 Danazol (Danocrine® [DSC])  
 Dantrolene (Dantrium®)  
 Degarelix (NA)  
 Demecarium (Humorsol®)  
 Denileukin (Ontak® Vials)  
**\*Desipramine (Norpramin®)**  
 Desvenlafaxine (Pristiq®)

Dextroamphetamine and Amphetamine (Adderall XR®; Adderall®)  
Diflunisal (Dolobid® [DSC])  
† Digoxin (Digitek®; Lanoxicaps®; Lanoxin®)  
Dihydroergotamine (D.H.E. 45®; Migranal®)  
Diphenoxylate and Atropine (Lomotil®; Lonox®)  
Dipyridamole (Persantine®)  
Dipyrrone (NA)  
Dirithromycin (Dynabac® [DSC])  
Divalproex Sodium (Depakote® ER)  
Dofetilide (Tikosyn™)  
Dolasetron (Anzemet®)  
Donepezil (Aricept® ODT; Aricept®)  
Doxapram (Dopram®)  
Doxazosin (Cardura®)  
Doxepin (Prudoxin™; Sinequan® [DSC]; Zonalon®)  
Doxorubicin (Liposomal) (Doxil®)  
Dronabinol (Marinol®)  
Duloxetine (Cymbalta®)  
Echthiophate Iodide (Phospholine Iodide®)  
Edrophonium (Enlon®; Reversol®)  
Efavirenz (Sustiva®)  
Eletriptan (Relpax®)  
Enalapril (Vasotec®)  
Entacapone (Comtan®)  
Ephedrine (Pretz-D® [OTC])  
Epinephrine (Adrenalin®; EpiPen® Jr; EpiPen®; Primatene® Mist [OTC]; Raphon [OTC]; S2® [OTC]; Twinject™)  
Epoprostenol (Flolan®)  
Eprosartan (Teveten®)  
Ergonovine (NA)  
Erythropoietin (NA)  
Escitalopram (Lexapro®)  
Esmolol (Brevibloc®)  
† Esomeprazole (Nexium®)  
Estazolam (ProSom®)  
Eszopiclone (Lunesta™)  
Etoposide (Toposar®; VePesid®)  
Etoposide Phosphate (Etopophos®)  
Exemestane (Aromasin®)  
Exenatide (Byetta™)  
Fat Emulsion (Intralipid®; Liposyn® III)  
Femoxetine (NA)  
Fenofibrate (Antara™; Lipofen™; Lofibra™; TriCor®; Triglide™)  
† Fentanyl (Actiq®; Duragesic®; Sublimaze®)  
Ferric Gluconate (Ferrelecit®)  
Filgrastim (Neupogen®)  
Fludrocortisone (Florinef®)  
Fludarabine (Fludara®)  
Flumazenil (Anexate®; Romazicon®)  
Flunisolide (AeroBid®-M; AeroBid®; Nasarel®)  
Fluoxetine (Prozac® Weekly™; Prozac®; Sarafem®)  
Flupenthixol (NA)  
Flurazepam (Dalmane®)  
Fluticasone and Salmeterol (Advair Diskus®)  
Fluvoxamine (NA)

Fomivirsen (Vitravene™ [DSC])  
 Foscarnet (Foscavir®)  
 Frovatriptan (Frova®)  
 Fulvestrant (Faslodex®)  
 Gadopentetate Dimeglumine (Magnevist®)  
 Gatifloxacin (Tequin®; Zymar™)  
 Gepirone (NA)  
 Glatiramer Acetate (Copaxone®)  
 † Glipizide (Glucotrol® XL; Glucotrol®)  
 Goserelin (Zoladex®)  
 Guanfacine (Tenex®)  
 Haloperidol (Haldol® Decanoate; Haldol®)  
 Hepatitis A Inactivated and Hepatitis B (Recombinant) Vaccine (Twinrix®)  
 Hepatitis B Vaccine (Engerix-B®; Recombivax HB®)  
 Hexoprenaline (NA)  
 Histrelin (Vantas™)  
 Hydralazine (NA)  
 † Hydrocodone (Anexsia®; Bancap HC®; Ceta-Plus®; Co-Gesic®; hycet™; Lorcet® 10/650; Lorcet® Plus; Lorcet®-HD [DSC]; Lortab®; Margesic® H; Maxidone™; Norco®; Stagesic®; Vicodin® ES; Vicodin® HP; Vicodin®; Vicoprofen®, Zydone®)  
 Ibritumomab (Zevalin®)  
 Imipramine (Tofranil-PM®; Tofranil®)  
 Immune Globulin (Intravenous) (Carimune™ NF; Gammagard® Liquid; Gammagard® S/D; Gammar®-P I.V.; Gamunex®; Iveegam EN; Octagam®; Panglobulin® NF; Polygam® S/D)  
 Indium IN 111 Pentetreotide (Octreoscan®)  
 Indocyanine Green (IC-Green®)  
 † Indomethacin (Indocin®)  
 Infliximab (Remicade®)  
 Insulin Inhalation (Exubera®)  
 † Insulin Regular (Humulin® R (Concentrated) U-500; Humulin® R; Novolin® R)  
 Interferon Alfa-2a (Roferon-A®)  
 Interferon Alfa-2b (Intron® A)  
 Interferon Alfa-n3 (Alferon® N)  
 Interferon Alfacon-1 (Infergen®)  
 Interferon Beta-1b (Betaseron®)  
 Interleukin-3 (NA)  
 Iodixanol (Visipaque™)  
 Ipratropium and Albuterol (Combivent®; DuoNeb™)  
 Irinotecan (Camptosar®)  
 Iron Dextran Complex (Dexferrum®; INFeD®)  
 Iron Supplements (Parenteral) (Dexferrum®; Ferrlecit®; INFeD®; Venofer®) **P**  
 Isocarboxazid (Marplan® Tablets)  
 Isoproterenol (Isuprel®) **P**  
 Isosorbide Dinitrate and Hydralazine (BiDil®)  
 Isotretinoin (Accutane®; Amnesteem™; Claravis™; Sotret®)  
 Ketorolac (Acular LS™; Acular® PF; Acular®; Toradol®)  
 Labetalol (Trandate®)  
 Leflunomide (Arava®)  
 Lenalidomide (Revlimid®)  
 Lentinan (Better Cholestrol®)  
 Letrozole (Femara®)  
 Leuprolide (Eligard®; Lupron Depot-Ped®; Lupron Depot®; Lupron®; Viadur®)  
 Levalbuterol (Xopenex HFA™; Xopenex®)  
 Levobupivacaine (Chirocaine® [DSC])  
 Levodopa and Carbidopa (Parcopa™; Sinemet® CR; Sinemet®)

† Levothyroxine (Levothroid®; Levoxyl®; Synthroid®; Unithroid®)  
 † Lidocaine and Epinephrine (LidoSite™; Xylocaine® MPF With Epinephrine; Xylocaine® With Epinephrine)  
 Liothyronine (Cytomel®; Triostat®) **P**  
 Liotrix (Thyrolar®)  
 Lisdexamfetamine (Vyvanse™)  
 † Lisinopril (Prinivil®; Zestril®)  
 Lodoxamide (Alomide®)  
 Lofepamine (NA)  
 Lopinavir and Ritonavir (Kaletra®)  
 † Loratadine (Apo-Loratadine®; Claritin® Kids; Claritin®)  
 Lorcainide (NA)  
 Losartan (Cozaar®)  
 Maprotiline (NA)  
 Mechlorethamine (Mustargen®) **P**  
 MedroxyPROGESTERone (Depo-Provera® Contraceptive; Depo-Provera®; depo-subQ provera 104™; Provera®)  
 Mefloquine (Lariam®)  
 Megestrol (Megace® ES; Megace®)  
 Melphalan (Alkeran®) **P**  
 † Mepivacaine (Carbocaine®; Polocaine® Dental; Polocaine® MPF; Polocaine®)  
 Mepivacaine (Dental) (Carbocaine®; Polocaine®)  
 Mepivacaine and Levonordefrin (Carbocaine® 2% with Neo-Cobefrin®)  
 Meptazinol (NA)  
 Meropenem (Merrem® I.V)  
 Mesalamine (Asacol®; Canasa™; Pentasa®; Rowasa®)  
 Metaproterenol (Alupent®)  
 Methadone (Dolophine®; Methadone Diskets®; Methadone Intensol™; Methadose®)  
 Methotrimeprazine (NA)  
 Methylene Blue (Urolene Blue®)  
 Methylergonovine (Methergine®)  
 Metoprolol and Hydrochlorothiazide (Lopressor HCT®)  
 Mexiletine (Mexitil® [DSC])  
 Midodrine (ProAmatine®)  
 Milnacipran (Savella™)  
 Misoprostol (Cytotec®)  
 Moclobemide (NA)  
 Modafinil (Alertec®; Provigil®)  
 Morphine Sulfate (Astramorph/PF™; Avinza®; DepoDur™; Duramorph®; Infumorph®; Kadian®; MS Contin®; Oramorph SR®; RMS®; Roxanol 100™; Roxanol™-T [DSC]; Roxanol™)  
 † Moxifloxacin (Avelox® I.V.; Avelox®; Vigamox™)  
 Muromonab-CD3 (Orthoclone OKT® 3)  
 Mycophenolate (CellCept®; Myfortic®)  
 Nabumetone (Relafen®)  
 Nadolol (Corgard® Tablets)  
 Nalbuphine (Nubain®)  
 Naloxone (Narcan® [DSC])  
 Naphazoline and Antazoline (Vasocon®-A [OTC] [DSC])  
 † Naproxen (Aleve® [OTC]; Anaprox® DS; Anaprox®; EC-Naprosyn®; Midol® Extended Relief; Naprelan®; Naprosyn®; Pamprin® Maximum Strength All Day Relief [OTC])  
 Naratriptan (Amerge®)  
 Nefazodone (Serzone®)  
 Nefopam (NA)  
 Nelfinavir (Viracept®)  
 Neostigmine (Prostigmin®)  
 Nesiritide (Natreacor®)

Niacin (Niacor®; Niaspan®; Slo-Niacin® [OTC])  
 Nicardipine (Cardene® I.V.; Cardene® SR; Cardene®)  
 † Nicotine (Commit™ [OTC]; NicoDerm® CQ® [OTC]; Nicorette® [OTC]; Nicotrol® Inhaler; Nicotrol® NS; Nicotrol® Patch [OTC])  
 † Nifedipine (Adalat® CC; Afeditab™ CR; Nifediac™ CC; Nifedical™ XL; Procardia XL®; Procardia®)  
 Nilutamide (Nilandron®)  
 Nimesulide (NA)  
 Nimodipine (Nimotop®)  
 Nisoldipine (Sular®)  
 Nitazoxanide (Alinia®)  
 Nitroprusside (Nitropress®)  
 Norepinephrine (Levophed®) **P**  
**\*Nortriptyline (Pamelor®)**  
 Octreotide (Sandostatin LAR®; Sandostatin®)  
 Olanzapine (Zyprexa® Zydys®; Zyprexa®)  
 † Omeprazole (Prilosec OTC™ [OTC]; Prilosec®)  
 Omeprazole and Sodium Bicarbonate (Zegerid®)  
 Oxprenolol (NA)  
 † Oxycodone (OxyContin®; Oxydose™; OxyFast®; OxyIR®; Roxicodone™ Intensol™; Roxicodone™)  
 Oxycodone and Ibuprofen (Combunox™)  
 Oxymetazoline (4-Way® 12 Hour [OTC]; Afrin® Extra Moisturizing [OTC]; Afrin® Original [OTC]; Afrin® Severe Congestion [OTC]; Afrin® Sinus [OTC]; Duramist® Plus [OTC]; Duration® [OTC]; Genasal [OTC]; Neo-Synephrine® 12 Hour Extra Moisturizing [OTC]; Neo-Synephrine® 12 Hour [OTC]; NRS® [OTC]; N\_strilla® [OTC]; Vicks Sinex® 12 Hour Ultrafine Mist [OTC]; Vicks Sinex® 12 Hour [OTC]; Visine® L.R. [OTC]) **P**  
 Papaverine (Para-Time SR®)  
 † Paroxetine (Paxil CR®; Paxil®; Pexeva®)  
 Peginterferon Alfa-2a (Pegasys®)  
 Peginterferon Alfa-2b (PEG-Intron®)  
 Pentazocine (Talwin® NX; Talwin®)  
 Pentazocine and Acetaminophen (Talacen®)  
 Perflutren Lipid Microspheres (Definity®)  
 Pericyazine (Neuleptil®)  
 Perindopril Erbumine (Aceon®)  
 Perphenazine (NA)  
 Phendimetrazine (Bontril PDM®; Bontril® Slow-Release; Melfiat®; Obezine® [DSC]; Prelu-2® [DSC])  
 Phenelzine (Nardil®)  
 Phenyltoloxamine (Myogesic®)  
 Physostigmine (NA)  
 Phytonadione (Mephyton®)  
**\*Pilocarpine (Isopto® Carpine; Pilopine HS®; Salagen®)**  
 Pimozide (Orap®)  
 Piperacillin and Tazobactam Sodium (Zosyn®)  
 Pipotiazine (NA)  
 Pirbuterol (Maxair™ Autohaler™) **P**  
 Pir tramide (NA)  
 Prazepam (NA)  
 Praziquantel (Biltricide®)  
 † Prednisolone (AK-Pred®; Bubbli-Pred™ [DSC]; Econopred® Plus; Orapred®; PEDIAPRED®; Pred Forte®; Pred Mild®; Prelone®)  
 Prilocaine (Citanest® Plain)  
 Prilocaine and Epinephrine (Citanest® Forte Dental)  
 Prochlorperazine (Compro™)  
 Propafenone (Rythmol® SR; Rythmol®)  
 Proparacaine (Alcaine®; Ophthalmic®)  
 Propoxyphene (Darvocet®; Darvon®)

Protein C, Human (Ceprothin)  
 Protirelin (Thyrel® TRH [DSC])  
**\*Protriptyline (Vivactil®)**  
 Pseudoephedrine (Biofed [OTC]; Contact® Cold [OTC]; Dimetapp® 12-Hour Non-Drowsy Extentabs® [OTC];  
 Dimetapp® Decongestant Infant [OTC]; ElixSure™ Congestion [OTC]; Genaphed® [OTC]; Kidkare  
 Decongestant [OTC]; Kodet SE [OTC]; Oranyl [OTC]; PediaCare® Decongestant Infants [OTC]; Silfedrine  
 Children's [OTC]; Simply Stuff™ [OTC]; Sudafed® 12 Hour [OTC]; Sudafed® 24 Hour [OTC]; Sudafed®  
 Children's [OTC]; Sudafed® [OTC]; Sudo-Tab® [OTC]; Sudodrin [OTC]; SudoGest [OTC]  
 Pyridostigmine (Mestinon® Timespan®; Mestinon®; Regonol®)  
 Quetiapine (Seroquel®)  
 Quinapril (Accupril®)  
 Quinapril and Hydrochlorothiazide (Accuretic®; Quinaretic)  
 Quinupristin and Dalfopristin (Synercid®)  
 Rabeprazole (AcipHex®)  
 Raloxifene (Evista®)  
 Raltegravir (Isentress)  
 Raltitrexed (NA)  
 Ramipril (Altace®)  
 Rasagiline (Azilect®)  
 Reboxetine (NA)  
 Rho(D) Immune Globulin (BayRho-D® Full-Dose; BayRho-D® Mini-Dose; MICRhoGAM®; RhoGAM®;  
 Rhophylac®; WinRho® SDF)  
 Ribavirin (Copegus®; Rebetol®; Ribasphere™; Virazole®)  
 Rimantadine (Flumadine®)  
 Ritonavir (Norvir®)  
 Rivastigmine (Exelon®)  
 Rizatriptan (Maxalt-MLT®; Maxalt®)  
 Rofecoxib (Vioxx® [DSC])  
 Rolipram (NA)  
 Ropinirole (Requip®)  
 Rotigotine (Neupro®)  
 Satumomab Pendetide (Octreoscan®)  
 Secretin (SecreFlo™)  
 Selegiline (Eldepryl®; Emsam®)  
 Selenium (Selenicaps [OTC]; Selenimin [OTC]; Selepen®)  
 Selenium Sulfide (Exsel® [DSC]; Head & Shoulders® Intensive Treatment [OTC]; Selsun Blue® 2-in-1  
 Treatment [OTC]; Selsun Blue® Balanced Treatment [OTC]; Selsun Blue® Medicated Treatment [OTC];  
 Selsun Blue® Moisturizing Treatment [OTC]; Selsun®)  
 † Sertraline (Zoloft®)  
 Sibutramine (Meridia®)  
 Sincalide UKinevac®  
 Sirolimus (Rapamune®)  
 Sodium Oxybate (Xyrem®)  
 Somatropin (Genotropin Miniquick®; Genotropin®; Humatrope®; Norditropin® NordiFlex®; Norditropin®;  
 Nutropin AQ®; Nutropin®; Saizen®; Serostim®; Tev-Tropin™; Zorbtive™)  
 Sotalol (Betapace AF®; Betapace®; Sorine®)  
 Streptokinase (Streptase®)  
 Sulpiride (NA)  
 † Sumatriptan (Imitrex®)  
 Tacrine (Cognex®)  
 Tacrolimus (Prograf®; Protopic®)  
 † Tadalafil (Cialis®)  
 Tamoxifen (Nolvadex® [DSC]; Soltamox™)  
 Tegaserod (Zelnorm®)  
 Telithromycin (Ketek®)

Telmisartan (Micardis®)  
 Telmisartan and Hydrochlorothiazide (Micardis® HCT)  
 Temazepam (Restoril®)  
 Tenofovir (Viread®)  
 Terbutaline (Brethine®)  
 Testosterone (Androderm®; AndroGel®; Delatestryl®; Depo®-Testosterone; First® Testosterone MC; First® Testosterone; Striant®; Testim®; Testopel®)  
 Thalidomide (Thalomid®)  
 Thiothixene (Navane®)  
 Thyroid (Armour® Thyroid; Nature-Throid® NT; Westhroid®)  
 Tiagabine (Gabitril®)  
 Tigecycline (Tygacil™)  
 Tinidazole (Tindamax™)  
 Tirofiban (Aggrastat®)  
 Tocainide (Tonocard® [DSC])  
 Tolcapone (Tasmar®)  
 Topiramate (Topamax®)  
 Toremifene (Fareston®)  
 Tositumomab and Iodine I 131 Tositumomab (131 I Anti-B1 Antibody; 131 I-Anti-B1 Monoclonal Antibody; Anti-CD20-Murine Monoclonal Antibody I-131; B1 Antibody; B1; Iodine I 131 Tositumomab and Tositumomab; Tositumomab I-131)  
**\*Trace Metals (Iodopen®; M.T.E.-4®; M.T.E.-5®; M.T.E.-6®; M.T.E.-7®; Molyphen®; Multitrac™-4 Neonatal; Multitrac™-4 Pediatric; Multitrac™-4; Multitrac™-5; Neotrac-4®; P.T.E.-4®; P.T.E.-5®; Pedtrac-4®; Selepen®) P**  
 Tramadol (Ultram® ER; Ultram®)  
 Tranlycypromine (Parnate®)  
 † Trazodone (Trialodine®; Desyre®)  
 Tretinoin (Oral) (Vesanoid®)  
 Triamcinolone (Aristocort® A; Aristocort®; Aristospan®; Azmacort®; Kenalog-10®; Kenalog-40®; Kenalog®; Nasacort® AQ; Tri-Nasal®; Triderm®)  
 Triprolidine and Pseudoephedrine (Actifed® Cold and Allergy [OTC]; Allerfrim® [OTC]; Aphedrid™ [OTC]; Aprodine® [OTC]; Genac® [OTC]; Silafed® [OTC]; Sudafed® Sinus Nighttime [OTC]; Tri-Sudo® [OTC])  
 Triprolidine, Pseudoephedrine, and Codeine (Triacin-C® [DSC])  
 Tulobuterol (NA)  
 Urokinase (Abbokinase® [DSC])  
 Vaccinia Immune Globulin (Intravenous) (CNJ-016™)  
 † Vardenafil (Levitra®)  
 Vasopressin (Pitressin®)  
 Venlafaxine (Effexor® XR; Effexor®)  
 Vasopressin (Pitressin®)  
 † Verapamil (Calan® SR; Calan®; Covera-HS®; Isoptin® SR; Verelan® PM; Verelan®)  
 Xylometazoline (Otrivin® Pediatric [OTC] [DSC]; Otrivin® [OTC] [DSC])  
 Yohimbine (Aphrodyne®; Yocon®)  
 Ziconotide (Prialt®)  
 Zidovudine (Retrovir®)  
**\*† Zinc Supplements (Cold-Eeze® [OTC]; Galzin™; Orazinc® [OTC]; Zincate®) P**  
 Ziprasidone (Geodon®)  
 Zolmitriptan (Zomig-ZMT™; Zomig®)  
 † Zolpidem (Ambien CR™; Ambien®)  
 Zonisamide (Zonegran®)  
 Zopiclone (NA)  
 Zuclopenthixol (NA)



**Reference:** Lexi-Drugs Database, the Official Drug Reference of the American Pharmacists Association, the National Professional Society of Pharmacists; DRUGDEX®, Physicians' Desk Reference (PDR); Micromedex: Martindale: The Complete Drug Reference.